Index of Authors

VOLUME 89 (EMG & Motor Control), 1993

(Abstracts from Society Proceedings are not included)

Aalfs, C.M., Koelman, J.H.T.M., Posthumus Meyjes, F.E. and Ongerboer de Visser, B.W.

Posterior tibial and sural nerve somatosensory evoked potentials: a study in spastic paraparesis and spinal cord lesions (89) 437

Abbruzzese, G., Schenone, A., Scramuzza, G., Caponnetto, C., Gasparetto, B., Adezati, L., Abbruzzese, M. and Viviani, G.L.
Impairment of central motor conduction in diabetic patients (89) 335

Abbruzzese, M., see Abbruzzese, G. (89) 335

Adezati, L., see Abbruzzese, G. (89) 335

Alfonsi, E., Nappi, G., Pacchetti, C., Martignoni, E., Conti, R., Sandrini, G. and Moglia, A.

Changes in motoneuron excitability of masseter muscle following exteroceptive stimuli in Parkinson's disease (89) 29

Andreassen, S., see Toft, E. (89) 311

Awiszus, F. and Feistner, H.

Abnormal EPSPs evoked by magnetic brain stimulation in hand muscle motoneurons of patients with amyotrophic lateral sclerosis (89) 408

Ayyar, D.R., see Calancie, B. (89) 177

Banerjee, T., see Murrison, A.W. (89) 434

Banerjee, T.K., Mostofi, M.S., Us, O., Weerasinghe, V. and Sedgwick, E.M.

Magnetic stimulation in the determination of lumbosacral motor radiculopathy (89) 221

Beckley, D.J., Bloem, B.R. and Remler, M.P.

Impaired scaling of long latency postural reflexes in patients with Parkinson's disease (89) 22

Belsh, J., see Chokroverty, S. (89) 54

Bertolasi, L., see Priori, A. (89) 131

Bevilacqua, M., see Caccia, M.R. (89) 88

Bloem, B.R., see Beckley, D.J. (89) 22

Boccasena, P., see Rossini, P.M. (89) 442

Boccasena, P., see Rossini, P.M. (89) 447

Bötzel, K., Plendl, H., Paulus, W. and Scherg, M.

Bereitschaftspotential: is there a contribution of the supplementary motor area? (89) 187

Bourriez, J.L., see Derambure, P. (89) 197

Brasil-Neto, J.P., see Pascual-Leone, A. (89) 120

Brody, S., see Rau, H. (89) 328

Brooke, J.D., see Collins, D.F. (89) 35

Brooke, J.D., see Stewart, B.A. (89) 41

Broton, J.G., see Calancie, B. (89) 177

Brunia, C.H.M., see Rau, H. (89) 328 Bucher, S.F., see Trenkwalder, C. (89) 95

Burgess, R.C., see Ikeda, A. (89) 269

Burghoff, M., see Curio, G. (89) 154 Burke, D., see Cordo, P. (89) 45

24.116, 2.1, 500 00140, 1. (0)/ 15

Caccia, M.R., Salvaggio, A., Dezuanni, E., Osio, M., Bevilacqua, M., Norbiato, G. and Mangoni, A.

An electrophysiological method to assess the distribution of the sensory propagation velocity of the digital nerve in normal and diabetic subjects (89) 88

Calancie, B., Broton, J.G., Klose, K.J., Traad, M., Difini, J. and Ayyar, D.R.

Evidence that alterations in presynaptic inhibition contribute to segmental hypo- and hyperexcitability after spinal cord injury in man (89) 177

Caponnetto, C., see Abbruzzese, G. (89) 335

Caramia, M.D., Desiato, M.T., Cicinelli, P., Iani, C. and Rossini, P.M.

Latency jump of "relaxed" versus "contracted" motor evoked potentials as a marker of cortico-spinal maturation (89) 61

Caruso, G., Nilsson, J., Crisci, C., Nolano, M., Massini, R. and Lullo, F.

Sensory nerve findings by tactile stimulation of median and ulnar nerves in healthy subjects of different ages (89) 392

Chiappa, K.H., see Kiers, L. (89) 415

Chokroverty, M., see Chokroverty, S. (89) 54

Chokroverty, S., Flynn, D., Picone, M.A., Chokroverty, M. and Belsh, J.

Magnetic coil stimulation of the human lumbosacral vertebral column: site of stimulation and clinical application (89) 54

Cicinelli, P., see Caramia, M.D. (89) 61

Cody, F.W.J., Lövgreen, B. and Schady, W.

Increased dependence upon visual information of movement performance during visuo-motor tracking in cerebellar disorders (89) 399

Cody, F.W.J., see Meara, R.J. (89) 261

Cohen, L.G., see Kujirai, T. (89) 227

Cohen, L.G., see Pascual-Leone, A. (89) 120

Cohen, L.G., see Wassermann, E.M. (89) 424

Collins, D.F., Brooke, J.D. and McIlroy, W.E.

The independence of premovement H reflex gain and kinesthetic requirements for task performance (89) 35

Conti, R., see Alfonsi, E. (89) 29

Cordo, P., Gandevia, S.C., Hales, J.P., Burke, D. and Laird, G. Force and displacement-controlled tendon vibration in humans (89) 45

Counter, S.A.

Neurobiological effects of extensive transcranial electromagnetic stimulation in an animal model (89) 341

Crisci, C., see Caruso, G. (89) 392

Cros, D., see Kiers, L. (89) 415

Curio, G., Erné, S.N., Burghoff, M., Wolff, K.-D. and Pilz, A. Non-invasive neuromagnetic monitoring of nerve and muscle injury currents (89) 154

Damen, E.P.J., see Rau, H. (89) 328

Daube, J.R.

Muscle innervation. Letter to the Editor (89) 452

Day, B.L., see Priori, A. (89) 131

Defebvre, L., see Derambure, P. (89) 197

Derambure, P., Defebvre, L., Dujardin, K., Bourriez, J.L., Jacquesson, J.M., Destee, A. and Guieu, J.D.

Effect of aging on the spatio-temporal pattern of event-related desynchronization during a voluntary movement (89) 197

Desiato, M.T., see Caramia, M.D. (89) 61

Destee, A., see Derambure, P. (89) 197

Dezuanni, E., see Caccia, M.R. (89) 88

Diaz, A.F., see Hamano, T. (89) 278

Difini, J., see Calancie, B. (89) 177 Di Muzio, A., see Uncini, A. (89) 161

Di Muzio, A., see Uncini, A. (89) 211

Dressler, D., see Priori, A. (89) 131

Dujardin, K., see Derambure, P. (89) 197

Elbert, T., see Rau, H. (89) 328

Epstein, C.M.

Magnetic mapping of human cervical nerve roots: variation in normal subjects (89) 145

Epstein, C.M.

Reply to the letter from Dr. Jasper Daube (89) 453

Erné, S.N., see Curio, G. (89) 154

Esteban, A. and Traba, A.

Fasciculation-myokymic activity and prolonged nerve conduction block. A physiopathological relationship in radiation-induced brachial plexopathy (89) 382

Fang, J., see Kiers, L. (89) 415

Fawcett, P.R.W., see Kennett, R.P. (89) 170

Feistner, H., see Awiszus, F. (89) 408

Flynn, D., see Chokroverty, S. (89) 54

Fuglsang-Frederiksen, A., see Jensen, R. (89) 1

Fuhr. P. and Hallett, M.

Reciprocal inhibition of the H-reflex in the forearm: methodological aspects (89) 319

Fujimoto, T. and Nishizono, H.

Muscle contractile properties by surface electrodes compared with those by needle electrodes (89) 247

Fukuyama, H., see Hamano, T. (89) 207

Gambi, D., see Uncini, A. (89) 161

Gandevia, S.C., see Cordo, P. (89) 45

Gasparetto, B., see Abbruzzese, G. (89) 335

Grafman, J., see Pascual-Leone, A. (89) 120

Guieu, J.D., see Derambure, P. (89) 197

Hales, J.P., see Cordo, P. (89) 45

Hallett, M., see Fuhr, P. (89) 319

Hallett, M., see Nilsson, J. (89) 349 Hallett, M., see Pascual-Leone, A. (89) 120

Hallett, M., see Wassermann, E.M. (89) 424

Hamano, T., Kaji, R., Diaz, A.F., Kohara, N., Takamatsu, N., Uchiyama, T., Shibasaki, H. and Kimura, J.

Vibration-evoked sensory nerve action potentials derived from Pacinian corpuscles (89) 278

Hamano, T., Kaji, R., Fukuyama, H., Sadato, N. and Kimura, J. Lack of prolonged cerebral blood flow change after transcranial magnetic stimulation (89) 207

Hansen, H.J., see Toft, E. (89) 311

Hirakawa, S., see Satomi, K. (89) 113

Horai, T., see Satomi, K. (89) 113

Houser, C.M., see Pascual-Leone, A. (89) 120

Iani, C., see Caramia, M.D. (89) 61

Ikeda, A., Lüders, H.O., Burgess, R.C. and Shibasaki, H.

Movement-related potentials associated with single and repetitive movements recorded from human supplementary motor area (89)

Jacquesson, J.M., see Derambure, P. (89) 197

Jakob, C., Mathis, J., Weyh, T. and Struppler, A.

Artifact reduction in magnetic stimulation (89) 287

Jensen, R., Fuglsang-Frederiksen, A. and Olesen, J.

Quantitative surface EMG of pericranial muscles. Reproducibility and variability (89) 1

Kaji, R., see Hamano, T. (89) 207

Kaji, R., see Hamano, T. (89) 278

Kaji, R., see Kohara, N. (89) 242

Kennett, R.P. and Fawcett, P.R.W.

Repetitive nerve stimulation of anconeus in the assessment of neuromuscular transmission disorders (89) 170

Kiers, L., Cros, D., Chiappa, K.H. and Fang, J.

Variability of motor potentials evoked by transcranial magnetic stimulation (89) 415

Kimura, J., see Hamano, T. (89) 207

Kimura, J., see Hamano, T. (89) 278

Kimura, J., see Kohara, N. (89) 242

Kingma, R., see Ruijten, M.W.M.M. (89) 375

Klöhn, S., see Michels, R. (89) 235

Klose, K.J., see Calancie, B. (89) 177

Koelman, J.H.T.M., see Aalfs, C.M. (89) 437

Kohara, N., Kaji, R. and Kimura, J.

Comparison of recording characteristics of monopolar and concentric needle electrodes (89) 242

Kohara, N., see Hamano, T. (89) 278

Kömpf, D., see Michels, R. (89) 235

Kramer, C.G.S., see Van Hilten, J.J. (89) 359

Kuiper, S.I.R., see Van Hilten, J.J. (89) 359

Kujirai, T., Sato, M., Rothwell, J.C. and Cohen, L.G.

The effect of transcranial magnetic stimulation on median nerve somatosensory evoked potentials (89) 227

Kunze, K., see Pfeiffer, G. (89) 365

Laird, G., see Cordo, P. (89) 45

Loh, L., see Mills, K.R. (89) 138

Lövgreen, B., see Cody, F.W.J. (89) 399

Lüders, H.O., see Ikeda, A. (89) 269

Lullo, F., see Caruso, G. (89) 392

Magi, S., see Uncini, A. (89) 161

Mangoni, A., see Caccia, M.R. (89) 88

Marchello, L.P., see Zappia, M. (89) 67

Marsden, C.D., see Priori, A. (89) 131

Martignoni, E., see Alfonsi, E. (89) 29

Massa, R., see Rossini, P.M. (89) 447

Massini, R., see Caruso, G. (89) 392

Mathis, J., see Jakob, C. (89) 287

McIlroy, W.E., see Collins, D.F. (89) 35

McLeod, C., see Mills, K.R. (89) 138

Meara, R.J. and Cody, F.W.J.

Stretch reflexes of individual parkinsonian patients studied during changes in clinical rigidity following medication (89) 261

Michels, R., Wessel, K., Klöhn, S. and Kömpf, D.

Long-latency reflexes, somatosensory evoked potentials and transcranial magnetic stimulation: relation of the three methods in multiple sclerosis (89) 235

Middelkoop, H.A.M., see Van Hilten, J.J. (89) 359

Mills, K.R., McLeod, C., Sheffy, J. and Loh, L.

The optimal current direction for excitation of human cervical motor roots with a double coil magnetic stimulator (89) 138

Moglia, A., see Alfonsi, E. (89) 29

Montagna, P., see Zappia, M. (89) 67

Mora, I., see Pérot, C. (89) 104

Mostofi, M.S., see Banerjee, T.K. (89) 221

Mostofi, S., see Murrison, A.W. (89) 434

Murrison, A.W., Mostofi, S., Banerjee, T. and Sedgwick, E.M. Central motor conduction time in neurological decompression illness (89) 434

Nakashima, K., Shimoyama, R., Yokoyama, Y. and Takahashi, K. Auditory effects on the electrically elicited blink reflex in patients with Parkinson's disease (89) 108

Nappi, G., see Alfonsi, E. (89) 29

Nilsson, J., Panizza, M. and Hallett, M.

Principles of digital sampling of a physiologic signal (89) 349

Nilsson, J., see Caruso, G. (89) 392

Nishizono, H., see Fujimoto, T. (89) 247

Nolano, M., see Caruso, G. (89) 392

Norbiato, G., see Caccia, M.R. (89) 88

Oertel, W.H., see Trenkwalder, C. (89) 95

Olesen, J., see Jensen, R. (89) 1

Ongerboer de Visser, B.W., see Aalfs, C.M. (89) 437

Opsomer, R.J., see Rossini, P.M. (89) 442

Osio, M., see Caccia, M.R. (89) 88

Pacchetti, C., see Alfonsi, E. (89) 29

Paniccia, M., see Zappia, M. (89) 67

Panizza, M., see Nilsson, J. (89) 349

Pascual-Leone, A., Houser, C.M., Reese, K., Shotland, L.I., Grafman, J., Sato, S., Valls-Solé, J., Brasil-Neto, J.P., Wassermann, E.M., Cohen, L.G. and Hallett, M.

Safety of rapid-rate transcranial magnetic stimulation in normal volunteers (89) 120

Pascual-Leone, A., see Wassermann, E.M. (89) 424

Paulus, W., see Bötzel, K. (89) 187

Paulus, W., see Trenkwalder, C. (89) 95

Pérot, C. and Mora, I.

H reflexes in close muscles: cross-talk or genuine responses? (89) 104

Pfeiffer, G. and Kunze, K.

Frequency analysis and duration of motor unit potentials: reliability and diagnostic usefulness (89) 365

Picone, M.A., see Chokroverty, S. (89) 54

Pilz, A., see Curio, G. (89) 154

Plendl, H., see Bötzel, K. (89) 187

Plendl, H., see Trenkwalder, C. (89) 95

Posthumus Meyjes, F.E., see Aalfs, C.M. (89) 437

Pradhan, S.

Tibialis anterior R-1 response: physiological behaviour, normative data and clinical utility in L4-L5 radicular compression (89)

Priori, A., Bertolasi, L., Dressler, D., Rothwell, J.C., Day, B.L., Thompson, P.D. and Marsden, C.D.

Transcranial electric and magnetic stimulation of the leg area of the human motor cortex: single motor unit and surface EMG responses in the tibialis anterior muscle (89) 131

Proeckl, D., see Trenkwalder, C. (89) 95

Pullman, S., see Uncini, A. (89) 211

Rau, H., Brody, S., Brunia, C.H.M., Damen, E.P.J. and Elbert, T. Activation of carotid baroreceptors inhibits spinal reflexes in man

Reese, K., see Pascual-Leone, A. (89) 120

Remler, M.P., see Beckley, D.J. (89) 22

Roos, R.A.C., see Van Hilten, J.J. (89) 359

Rossini, P.M., Massa, R., Sancesario, G. and Boccasena, P.

Sudomotor skin responses to brain stimulation do not depend on nerve sensory fiber functionality (89) 447

Rossini, P.M., Opsomer, R.J. and Boccasena, P.

Sudomotor skin responses following nerve and brain stimulation (89) 442

Rossini, P.M., see Caramia, M.D. (89) 61

Roth, G.

Myo-axonal ephaptic responses and their F waves in case of chronic denervation (89) 252

Rothwell, J.C., see Kujirai, T. (89) 227

Rothwell, J.C., see Priori, A. (89) 131

Ruijten, M.W.M.M., Sallé, H.J.A. and Kingma, R.

Comparison of two techniques to measure the motor nerve conduction velocity distribution (89) 375

Sabatelli, M., see Uncini, A. (89) 161

Sadato, N., see Hamano, T. (89) 207

Sallé, H.J.A., see Ruijten, M.W.M.M. (89) 375

Salvaggio, A., see Caccia, M.R. (89) 88

Sancesario, G., see Rossini, P.M. (89) 447

Sandrini, G., see Alfonsi, E. (89) 29

Sato, M., see Kujirai, T. (89) 227

Sato, S., see Pascual-Leone, A. (89) 120 Satomi, K., Horai, T. and Hirakawa, S.

Electrophysiological study of superficial abdominal reflexes in normal men (89) 113

Schady, W., see Cody, F.W.J. (89) 399

Schenone, A., see Abbruzzese, G. (89) 335

Scherg, M., see Bötzel, K. (89) 187

Scramuzza, G., see Abbruzzese, G. (89) 335

Sedgwick, E.M., see Banerjee, T.K. (89) 221

Sedgwick, E.M., see Murrison, A.W. (89) 434

Sheffy, J., see Mills, K.R. (89) 138

Shibasaki, H., see Hamano, T. (89) 278

Shibasaki, H., see Ikeda, A. (89) 269

Shimoyama, R., see Nakashima, K. (89) 108

Shotland, L.I., see Pascual-Leone, A. (89) 120

Simone, P., see Uncini, A. (89) 211

Sinkjær, T., see Toft, E. (89) 311 Somnier, F.E. and Trojaborg, W.

Neurophysiological evaluation in myasthenia gravis. A comprehensive study of a complete patient population (89) 73

Sonoo, M. and Stålberg, E.

The ability of MUP parameters to discriminate between normal and neurogenic MUPs in concentric EMG: analysis of the MUP "thickness" and the proposal of "size index" (89) 291

Stålberg, E., see Sonoo, M. (89) 291

Stewart, B.A. and Brooke, J.D.

Interaction of reciprocally induced inhibition and premotor facilitation of soleus H reflexes in humans (89) 41

Struppler, A., see Jakob, C. (89) 287

Takahashi, K., see Nakashima, K. (89) 108

Takamatsu, N., see Hamano, T. (89) 278

Thompson, P.D., see Priori, A. (89) 131

Toft, E., Sinkjær, T., Andreassen, S. and Hansen, H.J.

Stretch responses to ankle rotation in multiple sclerosis patients with spasticity (89) 311

Tonali, P., see Uncini, A. (89) 161

Toro, C., see Wassermann, E.M. (89) 424

Traad, M., see Calancie, B. (89) 177

Traba, A., see Esteban, A. (89) 382

Trenkwalder, C., Bucher, S.F., Oertel, W.H., Proeckl, D., Plendl, H. and Paulus, W.

Bereitschaftspotential in idiopathic and symptomatic restless legs syndrome (89) 95

Treviso, M., see Uncini, A. (89) 211 Trojaborg, W., see Somnier, F.E. (89) 73

Uchiyama, T., see Hamano, T. (89) 278

Uncini, A., Di Muzio, A., Sabatelli, M., Magi, S., Tonali, P. and Gambi, D.

Sensitivity and specificity of diagnostic criteria for conduction block in chronic inflammatory demyelinating polyneuropathy (89) 161

Uncini, A., Treviso, M., Di Muzio, A., Simone, P. and Pullman, S. Physiological basis of voluntary activity inhibition induced by transcranial cortical stimulation (89) 211

Us, O., see Banerjee, T.K. (89) 221

Valentino, P., see Zappia, M. (89) 67

Valls-Solé, J., see Pascual-Leone, A. (89) 120

Valls-Solé, J., see Wassermann, E.M. (89) 424

Van der Hoeven, J.H., Zwarts, M.J. and Van Weerden, T.W. Muscle fiber conduction velocity in amyotrophic lateral sclerosis and traumatic lesions of the plexus brachialis (89) 304

Van Hilten, J.J., Middelkoop, H.A.M., Kuiper, S.I.R., Kramer, C.G.S. and Roos, R.A.C.

Where to record motor activity: an evaluation of commonly used sites of placement for activity monitors (89) 359

Van Weerden, T.W., see Van der Hoeven, J.H. (89) 304

Viviani, G.L., see Abbruzzese, G. (89) 335

Wassermann, E.M., Pascual-Leone, A., Valls-Solé, J., Toro, C., Cohen, L.G. and Hallett, M.

Topography of the inhibitory and excitatory responses to transcranial magnetic stimulation in a hand muscle (89) 424

Wassermann, E.M., see Pascual-Leone, A. (89) 120

Weerasinghe, V., see Banerjee, T.K. (89) 221

Wessel, K., see Michels, R. (89) 235 Weyh, T., see Jakob, C. (89) 287

Wolff, K.-D., see Curio, G. (89) 154

Yokoyama, Y., see Nakashima, K. (89) 108

Zappia, M., Valentino, P., Marchello, L.P., Paniccia, M. and Montagna, P.

F-wave normative studies in different nerves of healthy subjects (89) 67

Zwarts, M.J., see Van der Hoeven, J.H. (89) 304

Index of Subjects

VOLUME 89 (EMG & Motor Control), 1993

(Abstracts from Society Proceedings are not included)

Abdominal reflexes, 113

Achilles tendon reflex and baroreceptors, 328

Activity monitor, 359

Afferent

- H reflex gain and kinesthetic demands, 35

Age, ERD and voluntary movement, 197

Ambulatory monitoring

- where to record motor activity, 359

Amyotrophic lateral sclerosis

- and abnormal EPSP, 408
- muscle fiber conduction in neurogenic lesions, 304

Anconeus muscle

- assessment of neuromuscular transmission disorders, 170

Animal studies

- extensive magnetic stimulation, 341

Ankle rotation

- stretch responses in spasticity, 311

Antidromic conduction

- myo-axonal ephaptic responses and F waves, 252

Antistriated muscle antibodies and myasthenia gravis, 73

Artifact reduction in magnetic stimulation, 287

Audiogram

- rapid-rate transcranial magnetic stimulation, 120

Autonomic innervation

- sudomotor skin response, 442, 447

Axonal damage and conduction block, 161

Baroreceptors and T reflex, 328

Basal ganglia and blink reflex in Parkinson's disease, 108

Bereitschaftspotentials

- and supplementary motor area, 187

- in restless legs syndrome, 95

with single and repetitive movements, 269

Bifunctionality

- identification of H reflex in close muscles, 104

Blink reflex in Parkinson's disease, 108

Book reviews, 204, 454

Brachial plexus lesions and muscle fiber conduction, 304

Central motor conduction

- in decompression illness, 434
- in diabetes, 335

Cerebellar disorders and movement performance, 399

Cerebral blood flow after transcranial magnetic stimulation, 207 Cervical roots

- double coil magnetic stimulation, 138
- magnetic mapping, 145

Children, see Infants

Cholinergic mechanisms in myasthenia gravis, 73

Chronic denervation

- myo-axonal ephaptic responses and F waves, 252

Chronic polyneuropathy and conduction block, 161

Cognitive set

scaling of postural reflexes in Parkinson's disease, 22

Coil orientation and stimulation of cervical roots, 138

Collision

- computer-assisted collision method, 88

- measure of the motor nerve conduction velocity, 375

Compound action potentials of lumbosacral roots, 54

Concentric needle electrode

- monopolar and concentric needle electrodes, 242
- neurogenic and muscular motor unit potentials, 291

Conduction

- central motor conduction in decompression illness, 434
- central motor conduction in diabetes, 335
- computer-assisted collision method, 88
- conduction block in chronic polyneuropathy, 161
- determination of lumbosacral motor radiculopathy, 221
- digital sampling frequency, 349
- fasciculation-myokymic activity and conduction block, 382
- magnetic stimulation of lumbosacral roots, 54
- measure of the motor nerve conduction velocity, 375
- muscle fiber conduction in neurogenic lesions, 304

Cortical activation

- ERD and voluntary movement, 197
- magnetic stimulation effects on SEPs, 227
- silent period, 211

Corticospinal tract

- maturation of relaxed vs. contracted motor EPs, 61

Cross-talk

- identification of H reflex in close muscles, 104

Cyclic reflex discharge

- responses of superficial abdominal reflexes, 113

DC measurement

- artifact reduction in magnetic stimulation, 287
- neuromagnetic injury fields, 154

Decompression illness and central motor conduction, 434

Demyelination and conduction block, 161

Detection of conduction block, 161

Diabetes

- central motor conduction, 335
- computer-assisted collision method, 88

Diagnostic value

- repetitive nerve stimulation of anconeus, 170

Digital nerve

- computer-assisted collision method, 88

Digital sampling frequency, 349

Dipole source analysis of Bereitschaftspotentials, 187

Discriminant analysis

- neurogenic and muscular motor unit potentials, 291

Diving and central motor conduction, 434

Double stimulation

- myo-axonal ephaptic responses and F waves, 252

Dyskinesia while awake

- readiness potential in restless legs syndrome, 95

Dystonia

- reciprocal inhibition of the H reflex, 319

Ectopic activity

- fasciculation-myokymic activity and conduction block, 382

EEG

- digital sampling frequency, 349
- ERD and voluntary movement, 197
- rapid-rate transcranial magnetic stimulation, 120

Electrical stimulation

- repetitive nerve stimulation of anconeus, 170
- responses of superficial abdominal reflexes, 113
- silent period from transcranial magnetic stimulation, 211
- transcranial stimulation of leg area, 131

Electrode

- monopolar and concentric needle electrodes, 242
- properties of motor unit and surface electrodes, 247

- diagnostic usefulness of MUP parameters, 365
- digital sampling frequency, 349
- identification of H reflex in close muscles, 104
- monopolar and concentric needle electrodes, 242
- neurogenic and muscular motor unit potentials, 291
- neurophysiology in myasthenia gravis, 73
- properties of motor unit and surface electrodes, 247
- quantitative surface EMG of pericranial muscles, 1
- scaling of postural reflexes in Parkinson's disease, 22
- stretch reflexes and rigidity in Parkinson's disease, 261
- stretch responses in spasticity, 311
- T reflex and baroreceptors, 328

Ephaptic myo-axonal responses and F waves, 252

EPSP in amyotrophic lateral sclerosis, 408

Event-related desynchronization and voluntary movement, 197 Evoked potentials

- Bereitschaftspotentials and supplementary motor area, 187
- digital sampling frequency, 349
- somatosensory, see Somatosensory evoked potentials

Exteroceptive influences on masseter muscle in PD, 29

Fasciculation-myokymic activity and conduction block, 382 Fibrillation potential

- monopolar and concentric needle electrodes, 242

Filtering and digital sampling frequency, 349

Frequency range and digital sampling frequency, 349

F wave

- and myo-axonal ephaptic responses, 252
- determination of lumbosacral motor radiculopathy, 221
- normative studies, 67

Habituation

- sound effects on blink reflex in Parkinson's disease, 108 Hand muscles
- inhibitory and excitatory responses, 424

Headache

quantitative surface EMG of pericranial muscles, 1

Heart rate

- T reflex and baroreceptors, 328

Hereditary disorders

- conduction block in chronic polyneuropathy, 161 Hoffmann reflex
- EMG and motor control, 41
- H reflex gain and kinesthetic demands, 35
- identification of H reflex in close muscles, 104
- presynaptic inhibition after spinal cord injury, 177
- reciprocal inhibition of the H reflex, 319
- tibialis anterior R1 response, 10

Hormones

- rapid-rate transcranial magnetic stimulation, 120

Infants

- maturation of relaxed vs. contracted motor EPs, 61 Inhibitory responses in a hand muscle, 424 Injury fields, 154

Kinesthetic requirements

- controlled tendon vibration, 45
- H reflex gain and kinesthetic demands, 35

Leg movement

readiness potential in restless legs syndrome, 95

Long-latency reflexes

- EPs and long-loop reflexes in multiple sclerosis, 235
- scaling of postural reflexes in Parkinson's disease, 22
- stretch reflexes and rigidity in Parkinson's disease, 261

Long-latency responses

- myo-axonal ephaptic responses and F waves, 252
- silent period from transcranial magnetic stimulation, 211

Low frequency depression

- presynaptic inhibition after spinal cord injury, 177

Lumbar disk prolapse

- tibialis anterior R1 response, 10

Lumbosacral vertebral column

- determination of motor radiculopathy, 221
- magnetic stimulation of lumbosacral roots, 54

Magnetic injury fields, 154

Magnetic resonance imaging in animal model, 341

Magnetic stimulation

- abnormal EPSP in amyotrophic lateral sclerosis, 408
- and CBF, 207
- artifact reduction, 287
- central motor conduction in diabetes, 335
- determination of lumbosacral motor radiculopathy, 221
- double coil stimulation of cervical roots, 138
- effects on SEPs, 227
- EPs and long-loop reflexes in multiple sclerosis, 235
- extensive stimulation in animal model, 341
- inhibitory and excitatory responses in a hand muscle, 424
- mapping of cervical nerve roots, 145 - maturation of relaxed vs. contracted motor EPs, 61
- muscle innervation, 452, 453
- of leg area, 131 - of lumbosacral roots, 54
- rapid rate, 120
- silent period, 211
- sudomotor skin response, 442, 447
- variability of motor potentials, 415

Masseteric reflex in PD, 29

Maturation of relaxed vs. contracted motor EPs, 61 Mechanoreceptor

- vibration-evoked sensory nerve AP, 278

Median nerve

- magnetic stimulation effects on SEPs, 227
- sensory nerve findings by tactile stimulation, 392

Meissner corpuscle and tactile stimulation, 392

Microneurography

- controlled tendon vibration, 45

Monopolar and concentric needle electrodes, 242 Motoneuron

- abnormal EPSP in amyotrophic lateral sclerosis, 408
- F-wave normative studies, 67

Motor activity, where to record it, 359

Motor axon reflex

myo-axonal ephaptic responses and F waves, 252

Motor conduction

- in diabetes, 335
- measure of the motor nerve conduction velocity, 375

Motor control in Parkinson's disease, 108

Motor cortex

- Bereitschaftspotentials and supplementary motor area, 187
- central motor conduction in diabetes, 335

- inhibitory and excitatory responses in a hand muscle, 424
- transcranial stimulation of leg area, 131

Motor evoked potentials

- and long-loop reflexes in multiple sclerosis, 235
- central motor conduction in diabetes, 335
- inhibitory and excitatory responses in a hand muscle, 424
- maturation of relaxed vs. contracted motor EPs, 61

Motor nerve conduction time and lumbosacral motor radiculopathy, 221

Motor neuron

silent period from transcranial magnetic stimulation, 211

Motor roots

double coil magnetic stimulation of cervical roots, 138

Motor sensory neuropathy and conduction block, 161

Motor unit potential

- diagnostic usefulness of MUP parameters, 365
- monopolar and concentric needle electrodes, 242
- neurogenic and muscular motor unit potentials, 291
- properties of motor unit and surface electrodes, 247

Movement

- controlled tendon vibration, 45
- movement performance in cerebellar disorders, 399
- readiness potential in restless legs syndrome, 95

Movement-related potential

with single and repetitive movements, 269

Multiple sclerosis

- EPs and long-loop reflexes, 235
- stretch responses in spasticity, 311

Muscle

- identification of H reflex in close muscles, 104
- muscle fiber conduction in neurogenic lesions, 304
- muscle innervation, 452, 453
- neuromagnetic injury fields, 154
- neurophysiology in myasthenia gravis, 73
- quantitative surface EMG of pericranial muscles, 1
- tibialis anterior R1 response, 10

Myasthenic syndromes

- assessment of neuromuscular transmission disorders, 170
- myasthenia gravis, 73
- repetitive nerve stimulation of anconeus, 170

Myelopathy

SEPs in spastic paraparesis and spinal cord lesion, 437

Myo-axonal response and F waves, 252

Myoclonus

- readiness potential in restless legs syndrome, 95

Myokymia and conduction block, 382

Myopathy

- diagnostic usefulness of MUP parameters, 365

Needle electrode

- monopolar and concentric needle electrodes, 242
- properties of motor unit and surface electrodes, 247

Needle scratch

- responses of superficial abdominal reflexes, 113

Nerve

- assessment of neuromuscular transmission disorders, 170
- digital sampling frequency, 349
- double coil magnetic stimulation of cervical roots, 138
- F wave normative studies, 67
- magnetic mapping of cervical nerve roots, 145
- measure of the motor nerve conduction velocity, 375
- neuromagnetic injury fields, 154
- neurophysiology in myasthenia gravis, 73
- repetitive nerve stimulation of anconeus, 170
- see also Conduction time

Neural coding

- vibration-evoked sensory nerve AP, 278

Neuromagnetic injury fields, 154

Neuromuscular transmission

- assessment of neuromuscular transmission disorders, 170
- repetitive nerve stimulation of anconeus, 170

Neuropathy

- central motor conduction in diabetes, 335
- conduction block in chronic polyneuropathy, 161
- fasciculation-myokymic activity and conduction block, 382
- sudomotor skin response, 442, 447

Non-invasive diagnosis

- determination of lumbosacral motor radiculopathy, 221
- neuromagnetic injury fields, 154

Normal human subjects

- Bereitschaftspotentials and supplementary motor area, 187
- CBF after transcranial magnetic stimulation, 207
- controlled tendon vibration, 45
- double coil magnetic stimulation of cervical roots, 138
- EMG and motor control, 41
- ERD and voluntary movement, 197
- F wave normative studies, 67
- H reflex gain and kinesthetic demands, 35
- identification of H reflex in close muscles, 104
- inhibitory and excitatory responses in a hand muscle, 424
- magnetic mapping of cervical nerve roots, 145
- magnetic stimulation effects on SEPs, 227
- quantitative surface EMG of pericranial muscles, 1
- responses of superficial abdominal reflexes, 113
- sensory nerve findings by tactile stimulation, 392
- tibialis anterior R1 response, 10
- T reflex and baroreceptors, 328
- variability of motor potentials, 415
- vibration-evoked sensory nerve AP, 278

Nyquist theorem

- digital sampling frequency, 349

Orbicularis oculi reflex

- sound effects in Parkinson's disease, 108

Pacinian corpuscle

- vibration-evoked sensory nerve AP, 278

- magnetic stimulation of lumbosacral roots, 54

Parkinson's disease

- exteroceptive influences on masseter muscle, 29
- scaling of postural reflexes, 22
- sound effects on blink reflex, 108
- stretch reflexes and rigidity, 261

Pericranial muscles, quantitative surface EMG, 1

Peripheral nerves

- magnetic mapping of cervical nerve roots, 145
- measure of the motor nerve conduction velocity, 375 - sensory nerve findings by tactile stimulation, 392

Periodic movements in sleep readiness potential in restless legs syndrome, 95

Phase-related external suction

- T reflex and baroreceptors, 328

Pick-up field

monopolar and concentric needle electrodes, 242

Positron emission tomography

- CBF after transcranial magnetic stimulation, 207

Postural reflexes in Parkinson's disease, 22

Power spectral analysis - diagnostic usefulness of MUP parameters, 365

Premovement facilitation

- EMG and motor control, 41
- H reflex gain and kinesthetic demands, 35

Presynaptic inhibition

- after spinal cord injury, 177

- EMG and motor control, 41

Proprioception in cerebellar disorders, 399

Pyramidal tract

- responses of superficial abdominal reflexes, 113

Quantitative EMG

- neurogenic and muscular motor unit potentials, 291

- neurophysiology in myasthenia gravis, 73

- quantitative surface EMG of pericranial muscles, 1

Rabbit

extensive magnetic stimulation in animal model, 341
Radiation plexopathy

fasciculation-myokymic activity and conduction block, 382
Radiculopathy

- determination of lumbosacral motor radiculopathy, 221

- magnetic stimulation of lumbosacral roots, 54

- tibialis anterior R1 response, 10

Rapid-rate transcranial magnetic stimulation, 120

Readiness potential in restless legs syndrome, 95

Reciprocal inhibition of the H reflex, 319

Recording of motor activity, 359

Recovery function and transcranial magnetic stimulation, 211 Reinnervation

- muscle fiber conduction in neurogenic lesions, 304

Repetitive movement and MRPs, 269

Restless leg syndrome, 95

Reticular formation

- sound effects on blink reflex in Parkinson's disease, 108 Rigidity

- stretch reflexes in Parkinson's disease, 261

Rise time

- properties of motor unit and surface electrodes, 247

R1 response of tibialis anterior, 10

Safety

- extensive magnetic stimulation in animal model, 341

- rapid-rate transcranial magnetic stimulation, 120

- rapid-rate transcranial magnetic stimulation, 120

Seizure

Sensory conduction

computer-assisted collision method, 88
Sensory nerve action potentials

vibration-evoked sensory nerve AP, 278

Signal processing

- digital sampling frequency, 349

Silent period from transcranial magnetic stimulation, 211 Size index

neurogenic and muscular motor unit potentials, 291
Sleep

- where to record motor activity, 359

Somatosensory evoked potentials

- and long-loop reflexes in multiple sclerosis, 235

- in spastic paraparesis and spinal cord lesion, 437

- magnetic stimulation effects on SEPs, 227

Somatosensory stimulation

- controlled tendon vibration, 45

Sound effects on blink reflex in Parkinson's disease, 108 Spasticity

- presynaptic inhibition after spinal cord injury, 177

- SEPs in spastic paraparesis and spinal cord lesion, 437

- stretch responses, 311

Spike duration

- diagnostic usefulness of MUP parameters, 365

Spinal cord

- presynaptic inhibition after spinal cord injury, 177

- SEPs in spastic paraparesis and spinal cord lesion, 437

Spinal motoneurons

- silent period from transcranial magnetic stimulation, 211

Spinal reflexes and baroreceptors, 328

Spinal roots

- central motor conduction in diabetes, 335

Stimulus intensity

- variability of motor potentials, 415

Stretch reflex

- and rigidity in Parkinson's disease, 261

- in spasticity, 311

Stroke

- sudomotor skin response, 442, 447

Subdural recording

- MRPs with single and repetitive movements, 269

Superficial abdominal reflexes, 113

Supplementary motor area

- and Bereitschaftspotentials, 187

- MRPs with single and repetitive movements, 269

Sural nerve

- SEPs in spastic paraparesis and spinal cord lesion, 437

Surface electrode

- properties of motor unit, 247

Sympathetic skin response, 442, 447

Tactile stimulation and sensory nerve findings, 392

Task performance

- H reflex gain and kinesthetic demands, 35

Tendon reflexes

- controlled tendon vibration, 45

- presynaptic inhibition after spinal cord injury, 177

Threshold force

- properties of motor unit and surface electrodes, 247

Tibialis anterior muscle

- R1 response, 10

- transcranial stimulation of leg area, 131

Tibial nerve

- SEPs in spastic paraparesis and spinal cord lesion, 437

Topographic mapping of ERD and voluntary movement, 197 Tracking

- H reflex gain and kinesthetic demands, 35

Transcranial brain stimulation

- and CBF, 207

- effects on SEPs, 227

- EPs and long-loop reflexes in multiple sclerosis, 235

- of leg area, 131

- rapid rate, 120

- silent period, 211

T reflex and baroreceptors, 328

Twitch tension

- properties of motor unit and surface electrodes, 247

Ulnar nerve findings by tactile stimulation, 392

Vibration

- controlled tendon vibration, 45

- presynaptic inhibition after spinal cord injury, 177

- vibration-evoked sensory nerve AP, 278

Visuomotor tracking in cerebellar disorders, 399

Voluntary movement

- and ERD, 197

- silent period from transcranial magnetic stimulation, 211